

# Borehole locations and permafrost depths, Alaska, USA, Version 1

---

## USER GUIDE

### How to Cite These Data

As a condition of using these data, you must include a citation:

Clow, G.D 1998. *Borehole locations and permafrost depths, Alaska, USA, Version 1*. [Indicate subset used]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.7265/3wjq-zt12>. [Date Accessed].

FOR QUESTIONS ABOUT THESE DATA, CONTACT [NSIDC@NSIDC.ORG](mailto:NSIDC@NSIDC.ORG)

FOR CURRENT INFORMATION, VISIT <https://nsidc.org/data/GGD223>



National Snow and Ice Data Center

## TABLE OF CONTENTS

1	DETAILED DATA DESCRIPTION.....	2
1.1	Coverage of data set: Study location.....	2
1.1.1	Geographic extent.....	2
1.1.2	Period of investigation:.....	2
1.2	Current storage of data.....	2
1.3	Site Information .....	3
2	REFERENCES AND RELATED PUBLICATIONS .....	4
3	CONTACTS AND ACKNOWLEDGEMENTS .....	6
4	DOCUMENT INFORMATION.....	7
4.1	Publication Date .....	7
4.2	Date Last Updated.....	7

**Notice:** This data set was first published on the [1998 CAPS CD](#).

The text for this document was taken unchanged from that CD.

# 1 DETAILED DATA DESCRIPTION

## 1.1 Coverage of data set: Study location

---

Arctic Alaska

### 1.1.1 Geographic extent

Northwesternmost latitude: 71° 11' 22" N

Northwesternmost longitude: 165° 46' 00" W

Southeasternmost latitude: 62° 11' 24" N

Southeasternmost longitude: 141° 09' 00" W

### 1.1.2 Period of investigation:

1950-1988

## 1.2 Current storage of data

---

Table 1. Data Storage

CD ROM	
Paper	
Spreadsheet	
Wordprocessor file(s)	
Database	X [ASCII files on USGS Climate Team Webserver: climweb.cr.usgs.gov]

Data center:

Are your data at risk of being lost? No

## 1.3 Site Information

---

Table 2. Permafrost depths from wells with multiple temperature logs. Elevations and pf\_depth are in meters.

<b>Well Designation</b>	<b>Code</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Elev</b>	<b>pf_depth</b>
Atigaru	ATI	70 33 22.03 N	151 43 01.85 W	2	405
Awuna	AWUN	69 09 11.58 N	158 01 21.27 W	336	295
Canning River A-1	CNR	69 36 00 N	146 21 30 W	282	280
Drew Point	DRP	70 52 47.14 N	153 53 59.93 W	5	324
Echooka #1	EB1	69 23 57 N	148 16 03 W	200	280
East Simpson #1	ESN	70 55 04.01 N	154 37 04.75 W	4	370
East Teshepuk	ETK	70 34 11.66 N	152 56 36.90 W	2	262
West Fish Creek #1	FCK	70 19 35.99 N	152 03 38.03 W	27	268
Ikpikpuk	IKP	70 27 19.68 N	154 19 52.78 W	10	347
J.W. Dalton	JWD	70 55 13.79 N	153 08 15.10 W	6	411
Kugrua	KAG	70 35 13.28 N	158 39 43.26 W	20	287
Kuyanak	KUY	70 55 53.48 N	156 03 53.08 W	3	328
Lisburne	LBN	68 29 05.44 N	155 41 35.51 W	559	295
Lupine Creek	LUP	69 06 04.24 N	148 37 06.83 W	520	238
North Inigok	NING	70 15 27.32 N	152 45 57.53 W	41	294
North Kalikpik	NKP	70 30 33.02 N	152 22 04.17 W	5	213
BP 33-12-13	PBA	70 21 22 N	148 50 06 W	9	662
BP 04-11-13	PBB	70 19 48 N	148 50 48 W	11	640
BP 19-10-15	PBC	70 12 42 N	148 24 45 W	11	584
ARCO NPBS #1	PBE	70 22 3 N	148 31 30 W	2	604
BP 08-11-13	PBF	70 19 07 N	148 54 35 W	8	619
BP 31-11-14	PBG	70 16 06 N	148 40 24 W	10	649
Peard Bay	PEA	70 42 56.32 N	159 00 02.52 W	23	310
Seabee	SBE	69 22 48.52 N	152 10 31.29 W	89	309
South Meade	SME	70 36 53.92 N	156 53 23.60 W	12	201
Tunalik	TLK	70 12 21.45 N	161 04 09.16 W	26	296
Tulageak	TUL	71 11 21.62 N	155 44 00.82 W	3	304
West Dease	WDS	71 09 32.65 N	155 37 45.19 W	2	282

Table 3. Permafrost depths from wells with a single temperature log.

<b>Well Designation</b>	<b>Code</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Elev</b>	<b>pf_depth</b>
Confusion Creek #2	CCB	68 22 18 N	152 04 06 W	823	139 *
Prudhoe Bay C-19	CN19	70 29 24 N	149 31 24 W	6	530
Prudhoe Bay D-2A	CND2	70 29 06 N	149 26 00 W	7	536
Chariot Charlie	CTC	68 06 00 N	165 46 00 W	-	288 *
Chariot Dog	CTD	68 06 24 N	165 44 06 W	-	360 *
East Bay State #1	EBS	70 18 38 N	148 18 58 W	5	627
Mobil 28243	MOB2	70 18 12 N	149 25 00 W	19	575
N. Highland State	NHST	70 17 30 N	149 13 07 W	16	577
BP 11-11-1	PBH	70 20 05 N	148 46 01 W	6	637
BP 12-11-13	PBI	70 20 07 N	148 45 52 W	6	635
BP 31-10-16	PBL	70 10 56 N	148 09 29 W	14	605
BP 27-11-14	PBM	70 16 42 N	148 33 56 W	6	619
BP Kuparuk #1	PBO	69 17 48 N	150 48 48 W	189	297
Simpson Core #13	S04	70 58 58.9 N	154 39 35 W	7	319
West Sak River #11	WK11	70 21 25 N	149 59 27 W	19	470
West Sak River #14	WK14	70 17 36 N	149 57 06 W	40	464
West Sak River #17	WK17	70 26 48 N	149 43 12 W	18	550
West Sak River #101	WK101	70 17 30 N	149 30 00 W	19	519 *
West Sak State #1	WSS1	70 20 21 N	149 32 10 W	18	551

\* These depths have not been corrected for the drilling disturbance due to lack of information regarding the drilling duration.

## 2 REFERENCES AND RELATED PUBLICATIONS

Brewer, M.C. (1958): Some results of geothermal investigations of permafrost, Am. Geophys. Union Trans., vol. 39, 19-26.

Deming, D., J.H. Sass, A.H. Lachenbruch, and R.F. De Rito (1992): Heat flow and subsurface temperature as evidence for basin-scale groundwater flow, North Slope of Alaska, Geol. Soc. America Bull., vol. 104, 528-542.

Gold, L.W. and A.H. Lachenbruch (1973): Thermal conditions in permafrost - a review of North American literature. In: Permafrost: The North American Contribution to the Second International Conference, National Academy of Sciences, 3-23.

Lachenbruch, A. H. (1957): Thermal effects of the ocean on permafrost, Geol. Soc. America Bull., vol. 68, 1515-1530.

Lachenbruch, A. H. (1968): Permafrost, in Fairbridge, R. W., ed., Encyclopedia of Geomorphology, New York, Reinhold Book Corp., Earth Sciences Series, vol. 3, 833-839.

Lachenbruch, A. H. (1994): Permafrost, the active layer, and changing climate, U.S. Geological Survey Open-File Report 94-694, 43 pp.

Lachenbruch, A.H. and M.C. Brewer (1959): Dissipation of the temperature effect of drilling a well in Arctic Alaska, U.S. Geological Survey Bulletin 1083-C, 109 pp.

Lachenbruch, A.H., M.C. Brewer, G.W. Greene, and B.V. Marshall (1962): Temperatures in permafrost. In: Temperature - Its Measurement and Control in Science and Industry, Reinhold Pub. Co., vol. 3, 791-803.

Lachenbruch, A.H., Cladouhos, T.T., and Saltus, R.W., 1988, Permafrost Temperature and the Changing Climate. In: "Permafrost", vol. 3, Fifth International Conference on Permafrost, Senneset, Kaare (ed.), Tapir Publishers, Trondheim, Norway, 9-17.

Lachenbruch, A.H., S.P. Galanis, Jr., and T.H. Moses, Jr. (1987): A thermal cross section for the permafrost and hydrate stability zones in the Kuparuk and Prudhoe Bay oil fields. In: Gallaway, J.P. and T.D. Hamilton, eds., Geological studies in Alaska by the U.S. Geological Survey during 1987, U.S. Geological Survey Circular 1016, 48-51.

Lachenbruch, A.H., G.W. Greene, and B.V. Marshall (1966): Permafrost and the geothermal regimes. In: Wilimovsky, N.J. and J.N. Wolfe, eds., Environment of the Cape Thompson Region, Alaska, U.S. Atomic Energy Commission, USAEC Division of Technical Information, Report PNE-48b, 149-163.

Lachenbruch, A.H., and B.V. Marshall (1969): Heat flow in the Arctic, ARCTIC, vol. 22, 300-311.

Lachenbruch, A.H. and B.V. Marshall (1986): Changing climate: geothermal evidence from permafrost in the Alaskan Arctic, Science, vol. 234, 689-696.

Lachenbruch, A.H., J.H. Sass, L.A. Lawver, M.C. Brewer, G.V. Marshall, R.J. Munroe, J.P. Kennelly, Jr., S.P. Galanis, Jr., and T.H. Moses, Jr. (1982): Temperature and depth of permafrost on the arctic slope of Alaska. In: Gryc, G., ed., Geology and Exploration of the National Petroleum Reserve in Alaska, 1974-1982, U.S. Geological Survey Professional Paper 1399, 645-656.

Lachenbruch, A.H., J.H. Sass, L.A. Lawver, and M.C. Brewer (1987): Temperature and depth of permafrost on the Alaskan arctic slope. In: Tailleur, I. and P. Weimer, eds., Alaskan North Slope Geology, Bakersfield, Calif., Society of Economic Paleontologists and Mineralogists, Pacific Section, vol. 2, 545-558.

Lachenbruch, A.H., J.H. Sass, B.V. Marshall, and T.H. Moses, Jr. (1982): Thermal regime of permafrost at Prudhoe Bay, Alaska, U.S. Geological Survey Open-File Report 82-535.

Lachenbruch, A.H., J.H. Sass, B.V. Marshall, and T.H. Moses, Jr. (1982): Permafrost, heat flow and the geothermal regime at Prudhoe Bay, Alaska, *J. Geophys. Res.*, vol. 87, 9301-9316.

Clow, G.D., R.W. Saltus, and E.D. Waddington (1996): A new high-precision borehole-temperature logging system used at GISP2, Greenland, and Taylor Dome, Antarctica, *J. Glaciology*, vol. 42, 576-584.

Lachenbruch, A.H. and M.C. Brewer (1959): Dissipation of the temperature effect of drilling a well in Arctic Alaska, U.S. Geological Survey Bulletin 1083-C, 109 pp.

Sass, J.H., A.H. Lachenbruch, R.J. Munroe, G.W. Greene, and T.H. Moses, Jr. (1971): Heat flow in the Western United States, *J. Geophys. Res.*, vol. 76, 6376-6413.

### 3 CONTACTS AND ACKNOWLEDGEMENTS

#### **Principal Investigator (pre-1956):**

Name: Brewer, Max C

Organization: U.S. Geological Survey

Mailing Address: 4200 University Drive, Anchorage, AK 99508

Telephone: 907-786-7429

#### **Principal Investigator (1956-1989):**

Name: Lachenbruch, Arthur H

Organization: U.S. Geological Survey

Mailing Address: 345 Middlefield Road, MS 977, Menlo Park, CA 94025

Telephone: 650-329-4879

Email:Internet>> alachenbruch@usgs.gov

#### **Principal Investigator (1989-present):**

Name: Clow, Gary D

Organization: U.S. Geological Survey

Mailing Address: Denver Federal Center, Box 25046, MS 980, Denver, CO 80225

Telephone: 303-236-5509

Fax: 303-236-5349

Email:Internet>> clow@usgs.gov

## 4 DOCUMENT INFORMATION

### 4.1 Publication Date

---

1998

### 4.2 Date Last Updated

---

2021