

MEaSUREs Annual Antarctic Ice Velocity Maps, Version 1

USER GUIDE

How to Cite These Data

As a condition of using these data, you must include a citation:

Mouginot, J., B. Scheuchl, and E. Rignot. 2017, updated 2017. *MEaSUREs Annual Antarctic Ice Velocity Maps 2005-2017, Version 1*. [Indicate subset used]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center https://doi.org/10.5067/9T4EPQXTJYW9. [Date Accessed].

FOR QUESTIONS ABOUT THESE DATA, CONTACT NSIDC@NSIDC.ORG

FOR CURRENT INFORMATION, VISIT https://nsidc.org/data/NSIDC-0720




TABLE OF CONTENTS

1	DATA	A DESCRIPTION	2
	1.1	Parameters	2
	1.1.1	Parameter Description	2
	1.2	File Information	3
	1.2.1	Format	3
	1.2.2	Directory Structure	3
	1.2.3	Naming Convention	3
	1.2.4	File Size	4
	1.2.5	Volume	4
	1.3	Spatial Information	4
	1.3.1	Coverage	4
	1.3.2	Resolution	5
	1.3.3	Projection and Grid Description	5
	1.4	Temporal Information	6
	1.4.1	Coverage	6
	1.4.2	Resolution	7
2	DATA	A ACQUISITION AND PROCESSING	7
	2.1	Background	7
	2.2	Acquisition	7
	2.3	Quality, Errors, and Limitations	8
	2.3.1	Quality Assessment	8
	2.4	Instrumentation	. 10
	2.4.1	Description	. 10
3	SOF	TWARE AND TOOLS	. 10
4	VER	SION HISTORY	. 10
5	RELA	ATED DATA SETS	. 10
6	RELA	ATED WEBSITES	. 10
7	CON	TACTS AND ACKNOWLEDGMENTS	. 11
8	REF	ERENCES	. 12
9	DOC	UMENT INFORMATION	. 13
		Publication Date	
		Date Last Updated	

The data set's title was changed in April, 2022 from "MEaSUREs Annual Antarctic Ice Velocity Maps 2005-2017" to "MEaSUREs Annual Antarctic Ice Velocity Maps."

1 DATA DESCRIPTION

1.1 Parameters

This data set includes annual (July 1 to June 30 of the following year) Antarctic ice velocity maps posted at 1 km grid spacing. The velocity components for the x and y direction, as defined by the polar stereographic grid, are stored in the NetCDF variables named VX and VY and are reported in meters per year. Error estimates for the velocity components are provided as variables ERRX and ERRY; however, these values should be used more as an indication of relative quality rather than absolute error. More information about the error estimates is provided in the Quality Assessment section as well as in Rignot, et al. 2011. The standard deviation (STDX, STDY) for the velocity estimates as well as a count (CNT) of scenes used to estimate the values for each pixel are also provided for assessing the quality of the data.

1.1.1 Parameter Description

The variables included in the NetCDF format have grid dimensions of 5601 x 5601.

Variable	Description	Data Type
VX	Component of velocity in m/year in x direction	float
VY	Component of velocity in m/year in y direction	float
ERRX	Estimated error in m/year in x direction	float
ERRY	Estimated error in m/year in y direction	float
STDX	Standard deviation of VX	float
STDY	Standard deviation of VY	float
CNT	Count of scenes used per pixel	integer

Table 1. Variable Description

To view a sample of the velocity data, refer to the Spatial Coverage section, Figure 1. An example of the error estimates, the standard deviation of the velocity and the number of measurements per pixel is provided in Figure 2 here and separately in Figure 3 of the document, MEaSUREs InSAR-Based Antarctica Ice Velocity Map, Version 2.

To convert the VX and VY velocity components into magnitude (speed) and direction (angle), use the following equations:

- (1) speed = $\sqrt{(vx2 + vy2)}$
- (2) angle = arctan (vy / vx)
- (3) error = $\sqrt{(errx2 + erry2)}$
- (4) error of flow direction = error/(2*speed) (see Mouginot et al., 2012)

However, users should take care when computing the inverse tangent due to the function's inherent ambiguities. While the standard arctan function typically does not account for angles that differ by 180°, most modern computer languages and math software packages include the function ATAN2, which uses the signs of both vector components to place the angle in the proper quadrant.

1.2 File Information

1.2.1 Format

This data set is provided in Network Common Data (NetCDF4) (.nc) format using CF-1.6 conventions. For more information about working with NetCDF formatted data, visit the UCAR Unidata Network Common Data Form Web site.

1.2.2 Directory Structure

Data are available from NASA's Earthdata Search or via direct download. When using the direct download option, the top-level directory contains a folder named for the start of each data year. For example, the folder named "2000.07.01" contains the data file corresponding to 1 July 2000—30 June 2001.

1.2.3 Naming Convention

This section describes the naming convention for this product with an example.

Example File Name:

Antarctica_ice_velocity_2015_2016_1km_v01.nc

Naming Convention:

Antarctica_ice_velocity_YYYY_YYYY_1km_v01.nc

Table 2. File Naming Convention

Variable	Definition
Antarctica_	Geographical Location
ice_velocity_	Geophysical parameter
YYYY_YYYY_	Year(s) of data acquisitions (July 1 to June 30)
1km_	Spatial sampling
VXX	Version 1

Variable	Definition
.nc	File type:
	NetCDF4

1.2.4 File Size

Each file is 1.38 GB.

1.2.5 Volume

The total volume of the data set is 6.2 GB.

1.3 Spatial Information

1.3.1 Coverage

This data set spans the continent of Antarctica.

Southernmost Latitude: 90° S Northernmost Latitude: 60° S Westernmost Longitude: 180° W Easternmost Longitude: 180° E

1.3.1.1 Spatial Coverage Maps

The spatial coverage for the individual ice velocity maps is presented in Figure 1. For each year, ice velocities were recorded where data was collected; therefore, coverage varies each year.




Figure 1. Annual ice velocity maps for Antarctica from 2005 to 2017

1.3.2 Resolution

The spatial resolution for the data set is 1 km.

1.3.3 Projection and Grid Description

The maps are provided in Polar Stereographic projection ESPG:3031. The x and y coordinates refer to the center of cells.

Table 3. Southern Hemisphere Projection Based on WGS 84 (EPSG: 3031)

Geographic coordinate system	WGS 84
Projected coordinate system	WGS 84 /Antarctic Polar Stereographic
Longitude of true origin	0° E
Latitude of true origin	71° S
Scale factor at longitude of true origin	1
Datum	World Geodetic System 1984
Ellipsoid/spheroid	WGS 84
Units	Meters
False easting	0
False northing	0
EPSG code	3031
PROJ4 string	+proj=stere +lat_0=-90 +lat_ts=-71 +lon_0=0 +k=1 +x_0=0 +y_0=0 +datum=WGS84 +units=m +no_defs
Reference	https://epsg.io/3031

Table 4. Grid Details

Grid cell size (x, y pixel dimensions)	1000 m
Number of rows	5601
Number of columns	5601
Geolocated lower left point in grid	-2800500.0,-2800500.0
Nominal gridded resolution	1000 m
ulxmap – x-axis map coordinate of the center of the upper-left pixel (XLLCORNER for ASCII data)	-2800000.0
ulymap – y-axis map coordinate of the center of the upper-left pixel (YLLCORNER for ASCII data)	2800000.0

1.4 Temporal Information

1.4.1 Coverage

Each annual map spans July 1 to June 30 of the following year.

SAR data were collected from multiple satellite-borne instruments between 2000 and 2020. A spreadsheet of instrument coverage by year (NSIDC-0720-InstrumentCoverage.xlsx) is available for download.

① During the 2013/14 season, two image pairs were used from the COSMO-SkyMed intrument.

1.4.2 Resolution

Temporal resolution is 12 months (1 year).

2 DATA ACQUISITION AND PROCESSING

2.1 Background

This data set provides annual ice velocities for the Antarctic ice sheet, derived from a variety of satellite radar interferometry (SAR) data as well as Landsat-8 optical imagery. Several techniques of interferometric analysis are used on SAR data to generate the maps:

- 1. Speckle tracking in both along (azimuth) and across (range) track directions
- 2. Calculation of two-dimensional offsets in amplitude imagery
- 3. Combinations of (range) interferometric phases along two independent tracks
- Combination of interferometric phases of two independent tracks to retrieve the surface flow vector

In all cases, surface parallel flow is assumed, a conventional approach for ice sheets. The Landsat-8 data are processed using repeat image feature tracking (see Mouginot, et al. 2017).

2.2 Acquisition

Data for each of the annual maps were acquired between July 1 to June 30 of the following year. These dates were chosen intentionally to avoid breaking up data acquisition campaigns, particularly between 2006 and 2010. Several campaigns ran through austral summer, and several SAR satellites do not acquire data in austral winter due to sensor eclipse conditions.

- ALOS PALSAR (Japan Aerospace Exploration Agency (JAXA))
- Envisat ASAR (European Space Agency (ESA))
- RADARSAT-1 (Canadian Space Agency (CSA))
- RADARSAT-2 (Canadian Space Agency (CSA) and MacDonald, Dettwiler and Associates Ltd. (MDA))
- TerraSAR-X / TanDEM-X (German Aerospace Agency (DLR))
- Copernicus Sentinel-1 (ESA)
- Landsat-8 optical imagery (USGS)

The IPY Space Task Group and its successor, the Polar Space Task Group (PSTG), coordinated SAR acquisitions between 2005 and 2016.

2.3 Quality, Errors, and Limitations

2.3.1 Quality Assessment

A detailed description of these data and their quality is provided in Mouginot et al. 2017. Additional details on the methodology are provided in Rignot, et al., 2011 and Mouginot et al. 2012. The precision of ice flow mapping varies with the sensor, the geographic location, the technique of interferometric analysis (see Data Acquisition and Processing for details), the time period of analysis, the repeat cycle, and the amount of data stacking. The error estimates for each sensor are summarized in Table 5. The error maps in Figure 2 take into account the following error sources:

- Error of speckle tracking and interferometric phase analysis respectively (SAR only)
- Errors caused by ionospheric perturbations (strongest in the azimuth direction, stronger in L-band compared to C-band, stronger in the East Antarctic Ice Sheet (EAIS) compared to the West Antarctic Ice Sheet (WAIS) because ionospheric perturbations are more abundant near the magnetic pole)
- Error of feature tracking analysis (Landsat-8 only)
- Data stacking (reduces the error noise as the square root of the number of interferometric pairs averaged)
- Respective weight of each instrument in the mosaicking

The total error is the square root of the sum of the independent errors squared. More details on the error estimates are provided in Mouginot, et al. 2017. Table 5 provides the error in ice velocity mapping for each sensor, without data stacking, in range (Rg) and azimuth (Az).

It should also be noted that tide correction was not included for the SAR data in question. The respective error is compensated by the use of multiple scenes to form the measurement for each annual map, but in some cases, the error on the ice shelves may exceed errors in nearby grounded areas. The annual maps are produced using a reduced number of measurements per pixel when compared to the Antarctic-wide velocity map (which utilizes the full data set to maximize geographic coverage and minimize errors).

One additional source of error is the fact that the DEM quality (the BEDMAP-2 DEM was used in the generation of these maps), together with the various sensor geometries and data resolutions, has an impact on the geolocation and the local incidence angle for each scene. This may locally result in larger errors in the final annual mosaics. Most affected are regions with complex topography, such as the Antarctic Peninsula or the Transantarctic Mountains.

Table 5. Error in Ice Velocity Mapping (m/year)

Platform/Sensor	Nominal Repeat Cycle (day)	Error (m/year)	
		Rg	Az
ALOS (WAIS)/PALSAR	46	6	17
ALOS (EAIS)/PALSAR	46	6	5
ENVISAT/ASAR	35	21	4
RADARSAT-1/SAR	24	26	8
RADARSAT-2/SAR	24	26	8
Copernicus Sentinel-1/SAR	12	12	43
Landsat-8/OLI	16	34*	34*
TanDEM-X (TDX)/TerraSAR-X (TSX)/SAR	11	8	8

^{*}Landsat uses repeat image feature tracking in x and y




Figure 2. Standard deviation of vx and vy (top row) and standard error of the mean vx and vy on a linear scale color-coded from 1 to greater than 32 m/year

2.4 Instrumentation

2.4.1 Description

For information about the SAR systems used to construct the mosaics from which this data set is derived, see ENVISAT - Earth Online - ESA, JAXA - About ALOS PALSAR, CSA's RADARSAT-1 and RADARSAT-2, DLR's TerraSAR-X (TSX) and TanDEM-X (TDX), and ESA's Copernicus Sentinel-1. For information about Landsat-8, see the USGS description of the satellite.

3 SOFTWARE AND TOOLS

Unidata at the University Corporation for Atmospheric Research maintains an extensive list of freely available Software for Manipulating or Displaying NetCDF Data.

4 VERSION HISTORY

Version	Release Date	Description of Changes
V1.1	April 2022	 Temporal coverage expanded to: 2000–2001 2005–2020 Title changed from "MEaSUREs Annual Antarctic Ice Velocity Maps 2005-2017" to "MEaSUREs Annual Antarctic Ice Velocity Maps" as temporal coverage now extends beyond 2017.
V1	April 2017	Initial release

5 RELATED DATA SETS

MEaSUREs InSAR-Based Antarctica Ice Velocity Map
MEaSUREs InSAR-Based Ice Velocity Maps of Central Antarctica: 1997 and 2009
MEaSUREs InSAR-Based Ice Velocity of the Amundsen Sea Embayment, Antarctica
MEaSUREs Antarctic Grounding Line from Differential Satellite Radar Interferometry
MEaSUREs Antarctic Boundaries

6 RELATED WEBSITES

Canadian Space Agency
European Space Agency
German Aerospace Agency
Japan Aerospace Exploration Agency
United States Geological Survey/NASA

NASA MEaSURES Data at NSIDC NASA MEaSURES

7 CONTACTS AND ACKNOWLEDGMENTS

Dr. Jeremie Mouginot

University of California, Irvine
Department of Earth System Science
Croul Hall
Irvine, California 92697
USA

Dr. Eric Rignot

University of California, Irvine Department of Earth System Science Croul Hall Irvine, California 92697 USA

Dr. Bernd Scheuchl

University of California, Irvine
Department of Earth System Science
Croul Hall
Irvine, California 92697
USA

Acknowledgements:

These data were generated through a grant from the NASA MEaSUREs program.

Spaceborne Synthetic Aperture Radar (SAR) acquisitions were provided through the following agencies:

- ALOS PALSAR: Japan Aerospace Exploration Agency
- ENVISAT ASAR, ERS-1, ERS-2: European Space Agency
- TerraSAR-X / TanDEM-X: German Aerospace Agency
- Copernicus Sentinel-1: European Space Agency
- RADARSAT-1, RADARSAT-2: Canadian Space Agency
- Landsat-8 (optical) data were made available by United States Geological Survey

Contains modified Copernicus Sentinel-1 data (2014-2016), acquired by the ESA, distributed through the Alaska Satellite Facility, and processed by Mouginot, J., B. Scheuchl, and E. Rignot. Other agencies providing the data for these mosaics include TanDEM-X and TerraSAR-X missions processed by DLR, RADARSAT 1 and 2 data processed by CSA, and ALOS PALSAR by JAXA results derived from optical images collected by Landsat-8 and processed by USGS.

Data acquisitions between 2006 and 2016 are courtesy of the International Polar Year (IPY) Space Task Group and its successor, the Polar Space Task Group (PSTG).

8 REFERENCES

Li, X., E. Rignot, J. Mouginot, and B. Scheuchl. 2016. Ice flow dynamics and mass loss of Totten Glacier, East Antarctica, from 1989 to 2015. *Geophysical Research Letters* 43(12): 6366-6373. doi: 10.1002/2016GL069173.

Li, X., E. Rignot, M. Morlighem, J. Mouginot, and B. Scheuchl. 2015. Grounding line retreat of Totten Glacier, East Antarctica, 1996 to 2013. *Geophysical Research Letters* 42(19): 8049-8056. doi: 10.1002/2015GL065701.

Michel, R., and E. Rignot. 1999. Flow of Glacier Moreno, Argentina, from Repeat-Pass Shuttle Imaging Radar Images: Comparison of the Phase Correlation Method with Radar Interferometry. *Journal of Glaciology* 45(9): 93-100.

Mouginot, J., et al. 2017. Comprehensive Annual Ice Sheet Velocity Mapping Using Landsat-8, Sentinel-1, and RADARSAT-2 Data. *Remote Sensing* 9(4): Art. #364. doi: 10.3390/rs9040364.

Mouginot, J., E. Rignot, and B. Scheuchl. 2015. Sustained increase in ice discharge from the Amundsen Sea Embayment, West Antarctica, from 1973 to 2013. *Geophysical Research Letters* 41: 1576–1584. doi: 10.1002/2013GL059069.

Mouginot, J., B. Scheuchl, and E. Rignot. 2012. Mapping of Ice Motion in Antarctica Using Synthetic-Aperture Radar Data. *Remote Sensing* 4(9): 2753-2767. doi: 10.3390/rs4092753.

Rignot, E., S. Jacobs, J. Mouginot, and B. Scheuchl. 2013. Ice Shelf Melting Around Antarctica. *Science* 341(6143): 266-270. doi: 10.1126/science.1235798.

Rignot, E., J. Mouginot, and B. Scheuchl. 2011. Ice Flow of the Antarctic Ice Sheet. *Science* 333(6048): 1427-1430. doi: 10.1126/science.1208336.

Rignot, E., J. Mouginot, and B. Scheuchl. 2011a. Antarctic grounding line mapping from differential satellite radar interferometry. *Geophysical Research Letters* 38(10): Art. #L10504. doi: 10.1029/2011GL047109.

Rignot, E., J. L. Bamber, M. R. Van Den Broeke, C. Davis, Y. H. Li, W. J. Van De Berg, and E. Van Meijgaard. 2008. Recent Antarctic ice mass loss from radar interferometry and regional climate modelling. *Nature Geoscience* 1(2): 106-110. doi: 10.1038/ngeo102.

Scheuchl, B., J. Mouginot, E. Rignot, M. Morlighem, and A. Khazendar. 2016. Grounding line retreat of Pope, Smith, and Kohler Glaciers, West Antarctica, measured with Sentinel-1a radar interferometry data. *Geophysical Research Letters* 43(16): 8572–8579, doi: 10.1002/2016GL069287.

Scheuchl, B., J. Mouginot, and E. Rignot. 2012. Ice velocity changes in the Ross and Ronne sectors observed using satellite radar data from 1997 and 2009. *The Cryosphere* 6: 1019-1030. doi: 10.5194/tc-6-1019-2012.

9 DOCUMENT INFORMATION

9.1 Publication Date

April 2017

9.2 Date Last Updated

April 2022