



# SMAPVEX12 In Situ Vegetation Data for Agricultural Area, Version 1

---

## USER GUIDE

### How to Cite These Data

As a condition of using these data, you must include a citation:

McNairn, H., J. Powers, and G. Wiseman. 2014. *SMAPVEX12 In Situ Vegetation Data for Agricultural Area, Version 1*. [Indicate subset used]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.5067/X2EF9ZKL0DGC>. [Date Accessed].

FOR QUESTIONS ABOUT THESE DATA, CONTACT [NSIDC@NSIDC.ORG](mailto:NSIDC@NSIDC.ORG)

FOR CURRENT INFORMATION, VISIT <https://nsidc.org/data/SV12VA>



National Snow and Ice Data Center

# TABLE OF CONTENTS

1	DATA DESCRIPTION.....	2
1.1	Parameters .....	2
1.2	File Information .....	2
1.2.1	Format and File Contents .....	2
1.3	Spatial Information .....	4
1.3.1	Coverage .....	4
1.3.2	Resolution.....	4
1.3.3	Geolocation .....	4
1.4	Temporal Information.....	4
1.4.1	Coverage and Resolution .....	4
2	DATA ACQUISITION AND PROCESSING .....	5
2.1	Quality, Errors, and Limitations .....	6
3	SOFTWARE AND TOOLS.....	6
4	CONTACTS AND ACKNOWLEDGMENTS.....	6
4.1	Acknowledgments.....	7
4.1.1	Field Sampling Team.....	7
5	DOCUMENT INFORMATION.....	9
5.1	Publication Date.....	9
5.2	Date Last Updated .....	9

# 1 DATA DESCRIPTION

This data set contains in situ vegetation data collected at several agricultural sites as a part of the Soil Moisture Active Passive Validation Experiment 2012 (SMAPVEX12).

## 1.1 Parameters

---

The parameters included in this data are described in Table 1.

Table 1. Parameter units and valid ranges

Parameter	Unit	Valid range
Vegetation Water Content (VWC)	g/m <sup>2</sup>	0 - 40,000
Total net weight	g	0 - 8000
Total dry biomass	g	0 - 2000
Fraction of water content	%	0 - 100
Height of the plants	cm	0 - 300
Diameter of the plants	cm	0 - 3

## 1.2 File Information

---

### 1.2.1 Format and File Contents

Data are provided in the following ASCII text files:

- SV12VA\_Crop\_Biomass\_ver4.txt contains biomass related parameters.
- SV12VA\_Crop\_Height\_Diam\_ver4.txt contains plant height and diameter measurements.
- SV12VA\_Field\_Sites\_ver4\_coords.txt contains the locations of the sampling sites.

The following tables provide descriptions for each column in the data files.

Table 2. Data Column Descriptions for SV12VA\_Crop\_Biomass\_ver4.txt (Biomass file)

Column Heading	Description
OBJECTID	ID of the sample
Sample_Date	month/day/year
Site_ID	ID of the field and the sample point within the field
Crop_Type	Type of the crop

Column Heading	Description
Crop_Part	Part of the plant (total, stems, leaves, tassel, flower or heads, or pasture)
Net_W_Sample_Total_g	Total net weight of the sample [g]
Total_Dry_Biomass_g	Total dry biomass in the sample [g]
Plant_Water_Cont_PCT	Fraction of water content in the sample (in percentage)
Area_Plant_Water_Cont_g_m2	Vegetation Water Content [g/m2]
Air_to_OD_Cor_Applied	Indicates whether the air-dry to oven-dry correction has been applied

Table 3. Data Columns for SV12VA\_Crop\_Height\_Diam\_ver4.txt (Plant height and diameter file)

Column	Description
OBJECTID	ID of the sample
Date	Date of the sample (month/day/year)
Crop	Type of the crop
Site_ID	ID of the field and the sample point within the field
Mean_Heigh	Mean height computed from the 10 height measurements [cm]
Mean_Diame	Mean diameter computed from the 10 diameter measurements [cm]
Height_1	Height sample 1 [cm]
Height_2	Height sample 2 [cm]
Height_3	Height sample 3 [cm]
Height_4	Height sample 4 [cm]
Height_5	Height sample 5 [cm]
Height_6	Height sample 6 [cm]
Height_7	Height sample 7 [cm]
Height_8	Height sample 8 [cm]
Height_9	Height sample 9 [cm]
Height_10	Height sample 10 [cm]
Diameter_1	Diameter sample 1 [cm]
Diameter_2	Diameter sample 2 [cm]
Diameter_3	Diameter sample 3 [cm]
Diameter_4	Diameter sample 4 [cm]
Diameter_5	Diameter sample 5 [cm]
Diameter_6	Diameter sample 6 [cm]
Diameter_7	Diameter sample 7 [cm]
Diameter_8	Diameter sample 8 [cm]

Column	Description
Diameter_9	Diameter sample 9 [cm]
Diameter_10	Diameter sample 10 [cm]

Table 4. Data Column Descriptions for SV12VA\_Field\_Sites\_ver4\_coords.txt

Column Heading	Description
OBJECTID	ID of the data record
Site_ID	ID of the field and the sample point within the field
X	UTM easting coordinate (meters)
Y	UTM northing coordinate (meters)

## 1.3 Spatial Information

---

### 1.3.1 Coverage

Southernmost Latitude: 49.44°N

Northernmost Latitude: 49.96°N

Westernmost Longitude: 98.51°W

Easternmost Longitude: 97.85°W

### 1.3.2 Resolution

In situ measurements were sampled within .5 m by .5 m squares.

### 1.3.3 Geolocation

Data are provided in Universal Transverse Mercator (UTM), Zone 14 N, World Geodetic System 1984 (WGS84) coordinates.

## 1.4 Temporal Information

---

### 1.4.1 Coverage and Resolution

In situ samples and measurements were collected on thirteen days from 07 June through 19 July 2012.

## 2 DATA ACQUISITION AND PROCESSING

During SMAPVEX12, non-flight days were dedicated to collecting vegetation data. The goal of the experimental plan was to measure vegetation conditions once per week for each field. This strategy was a compromise between capturing the changes in crop growth and available resources. By and large for the vast majority of fields this time table was achieved. However, field access due to impassible roads or aerial spraying did influence this schedule.

Vegetation measurements were collected at three of the 16 soil moisture sample points. Sample points 2, 11 and 14 were selected as this distribution was expected to capture variance in vegetation conditions across each field, and also provided ease of navigation within the field. At each of these three points, measurements of crop height and stem diameter were made. In addition biomass samples were collected and photos to measure Leaf Area Index (LAI) were taken. Due to different planting approaches of various crops, and the accumulation of crop biomass, the strategy to acquire vegetation measurements varied depending on crop type. For wheat, forage and pasture crops crews collected biomass, height and stem diameter measurements within a 0.5 m x 0.5 meter biomass square. All other crops have wide row and plant spacing and thus these measurements were taken along two adjacent plant rows.

Crop height and stem diameter can vary significantly along and between rows and thus multiple measurements are required. For all crops, 10 height and diameter measurements were taken using a tape measure (height) or caliper (stem diameters). For wheat, forage and pasture 10 plants were randomly selected within the biomass square for measurement. For corn, beans and canola five consecutive plants were measured in one row, with five more measured in the adjacent row. The height was measured to the top of the upper most part of the canopy, whether leaf or fruit. Leaves were left in their natural orientation, and not extended, for this measurement. The diameter was measured half way up the crop (at mid-level). Heights were recorded on field sheets.

Vegetation biomass and water content were determined via destructive sampling. One biomass sample was collected at each of the three measurement points (2, 11 and 14). For wheat, forage and pasture fields a 0.5 m x 0.5 meter square was placed over the canopy. All above ground biomass was collected by cutting all vegetation at the soil level. For beans, corn and canola crops, five plants along two rows (10 plants in total) were collected. Knowledge of the density of the crop permits scaling of these measurements to a unit area (m<sup>2</sup>). Dead plant matter (residue) was not included in the sampling. Following cutting, biomass samples were placed first in a paper bag, and then a plastic bag to minimize water loss prior to weighing the wet sample. Vegetation will degrade rapidly (within a few hours) and thus weighing of the wet sample must be completed quickly. During most vegetation sampling days, the lab crew set up a temporary weighing station located on site in Elm Creek. When convenient to do so, crews periodically brought their vegetation samples to this

temporary station for weighing. More than 900 biomass samples were collected during SMAPVEX12.

The SMAPVEX experimental plan called for the determination of vegetation water content as a function of plant organ. Thus, for the sample collected from point 2, the lab crew segmented this sample by plant organs (heads, leaves, stalks, seeds/pods, tassels) prior to weighing the wet sample. Due to level of effort, the wheat samples were only segmented into heads and leaves/stems. The proportion of biomass in the wheat stalk is considered small relative to that of the leaves and heads.

See more details in sections 1.1 and 2.1.3 of the [SMAPVEX12 Database Report](#), released 18 December 2012.

## 2.1 Quality, Errors, and Limitations

---

Some additional error was introduced for the corn sampling due to the uncertainty in the air-dry to oven-dry conversion. See details of the sampling approach in section 2.1.3 of the [SMAPVEX12 Database Report](#), released 18 December 2012.

In general, the quality of the data meets the typical quality expected from this type of field campaign with the given sampling strategy. See details of the sampling approach in section 2.1.3 of the [SMAPVEX12 Database Report](#), released 18 December 2012.

## 3 SOFTWARE AND TOOLS

No special tools are required to view these data. A spreadsheet program such as Microsoft Excel is recommended.

## 4 CONTACTS AND ACKNOWLEDGMENTS

### **Heather McNairn**

Science and Technology Branch  
Agriculture and Agri-Food Canada  
Ottawa, Ontario Canada

### **Jarrett Powers**

Science and Technology Branch  
Agriculture and Agri-Food Canada  
Winnipeg, Manitoba Canada

## **Grant Wiseman**

Science and Technology Branch  
Agriculture and Agri-Food Canada  
Winnipeg, Manitoba Canada

## **4.1 Acknowledgments**

---

Agriculture and Agri-Food Canada, National Aeronautics and Space Administration, U.S. Department of Agriculture, Environment Canada, U. Manitoba, U. Guelph, Massachusetts Institute of Technology, U. South Carolina, U. Colorado, U. Sherbrooke, Ohio State, U. Montana, Florida International U., U. Southern California, Texas A&M, Georgia Institute of Technology, U. Washington are acknowledged for their support for the campaign.

### **4.1.1 Field Sampling Team**

Aaron Berg, University of Guelph  
Alan Rich, University of Manitoba  
Alicia Joseph, NASA GSFC  
Alexandra Konings, MIT  
Amine Merzouki, Agriculture and Agri-Food Canada  
Bin Fang, U.S. Carolina  
Brandon Wryha, Agriculture and Agri-Food Canada  
Brian Miller, University of Manitoba  
Catherine Champagne, Agriculture and Agri-Food Canada  
Craig Smith, Environment Canada  
Christina Neva Rivera, Agriculture and Agri-Food Canada  
Dominik Schneider, University of Colorado  
Erika Podest, JPL  
Erle Einarsson, Agriculture and Agri-Food Canada  
Evan Rodgers, Agriculture and Agri-Food Canada  
Grant Wiseman, Agriculture and Agri-Food Canada  
Greg Gibbons, Agriculture and Agri-Food Canada  
Heather McNairn, Agriculture and Agri-Food Canada  
Hida Manns, University of Guelph  
Hoda Jafarian, University of Sherbrooke  
Jacqueline Freeman, Agriculture and Agri-Food Canada  
Jeff Ouellette, Ohio State  
Jennifer Watts, University of Montana  
Jiali Shang, Agriculture and Agri-Food Canada



John Fitzmaurice, Agriculture and Agri-Food Canada  
Jon Belanger, University of Guelph  
Justin Adams, University of Guelph  
Kalifa Goïta, University of Sherbrooke  
Karel Janik, University of Sherbrooke  
Kaighin McColl, MIT  
Kurt Gottfried, Agriculture and Agri-Food Canada  
Luis Perez, FIU - Florida International University  
Marco Carrera, Environment Canada, Meteorological Research Division  
Maria Abrahamowicz, Environment Canada  
Mariko Burgin, University of Southern California  
Maheshwari Neelman, Texas A&M  
Matt Jones, University of Montana  
Mehdi Hosseini, University of Sherbrooke  
Mike Cosh, USDA, ARS Hydrology and Remote Sensing Laboratory  
Mustafa Aksoy, Ohio State  
Najib Djamai, University of Sherbrooke  
Nandita Gaur, Texas A&M  
Narendra Das, JPL  
Parag Narvekar, MIT  
Parinaz Rahimzadeh, University of Guelph  
Patrick Rollin, Agriculture and Agri-Food Canada  
Paul Bullock, University of Manitoba  
Peggy O'Neill, NASA GSFC  
Rachel Molloy, Agriculture and Agri-Food Canada  
Rebecca Warren, University of Guelph  
Rebecca Scriver, University of Guelph  
Ramata Magagi, University of Sherbrooke  
Robert Terwilliger, University of Florida  
Rotimi Ojo, University of Manitoba  
Ruzbeh Akbar, University of Southern California  
Sab Kim, JPL  
Sarah Banks, Agriculture and Agri-Food Canada  
Sarah Dyck, Environment Canada  
Saeid Homayouni, Agriculture and Agri-Food Canada  
Shawna McKnight, Georgia Institute of Technology  
Sonia Becenko, Agriculture and Agri-Food Canada  
Stacie Westervelt, University of Manitoba

Steven Chan, JPL

Syed Anwar, Agriculture and Agri-Food Canada

Tien-Hoa Liao, University of Washington

Tracy Rowlandson, University of Guelph

Vanessa Escobar, NASA GSFC

## 5 DOCUMENT INFORMATION

### 5.1 Publication Date

---

October 2013

### 5.2 Date Last Updated

---

August 2024